



MAHAVEER OVERSEAS

MAHAVEER OVERSEAS






Corporate Profile

We Mahaveer Overseas feel immense pleasure in introducing ourselves as one of the leading Exporters, importers, stockiest and supplier of below specified material as under. With our expertise and experience we have more than 100+ regular and satisfied clients and accomplished more than 1000+ projects successfully. We are committed to our company's Quality control policies and Ethical Business model. Our goal towards overall growth of our organization consists of teamwork, skilled staff, experience & existence in steel sector, goodwill and policies. Our vision is crystal clear and focused under mentorship & guidance of our Director Mr. Heet Jain who is densely committed and continuously working for the enhancement of our organization with his experience, expertise, dedication, towards our Company and employees.





Sheets, Plates, Coils & Shims

Alloy Steel, Carbon Steel / Mild Steel

Alloy Steel Pipe : ASTM A387 Gr. 11, 12, 22, 5, 91 (CL 1/2)
 Carbon Steel : ASTM A 36, ASTM A 283 Gr C, ASTM 285 Gr C
 S275 JR, IS 2062 Gr. A/B, LF2
 Hardox 400, 500

Aluminium

ASTM B 928
 5083 (A95083), 5086 (A95086),
 5052 (A95052) T6061 (A96061)

Spring Steel Coils

CR C55, C80, C62, C45

Cupro Nickel

ASTM B171 C70600 (90:10), C71500 (70:30)

Monel

ASTM B127 N04400, DIN N05500

Size

Sheets : 0.8mm to 4mm thk. in 1000 upto 2000 mm Width
 & 2000 upto 6000 Length
 Plates : 5mm to 100 mm thk. In 1000 upto 2000 mm Width
 & 2000 upto 8000 Length
 Coils : 0.1 mm thk. to 12mm thk. in 10mm upto 1500 Width
 Foils : 0.01 mm thk. to 0.3 mm thk. in any width
 Strips : 1mm thk. to 100 mm thk. in 10 mm upto 900 mm Width
 & 1000 upto 6000 Length

Finish

HR No.1, 2B, BA, Matt, Matt+1 side PVC, BA + 1side PVC, Chequered

Specializing in:

Stainless Steel, Mild Steel, Carbon Steel Series

Titanium

Commercially : ASTM B 265
 Pure Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
 Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
 Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 265

Gr.5 R 56400 (6Al-4V)
 Gr.23 R 56401 (6Al-4V-ELI)
 Gr.12 R 53400

Strips & Coils

Thickness Range : 0.025mm – 4.00mm
 Width : Minimum 3.2mm to maximum 2000mm
 Hardness : Soft, Half Hard, Full Hard, ¾ Hard, Full Hard
 & Spring Hard
 Finish : CR, 2D, 2B, BA

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A240 304/304L/316/316L/316Ti/
 309/310/317/317L/321/347/409/410/
 430/904L/SMO 254 / AL6XN

Duplex & Super Duplex : Standard
 ASTM A240 - UNS S31803/S32205 (2205)
 Lean
 ASTM A240 - UNS S32304 (2304)
 Super Duplex
 ASTM A240 - UNS S32750 (2507)
 ASTM A240 - UNS S32760 (Zeron 100)

Quenched & Tempered

ASTM A537 CL.1 & 2

Boiler Quality

SA 516 Gr. 70

Hardox

Hardox 400 / 500

Hi-Nickel & Titanium

Hi-Nickel

Cupro Nickel : ASTM B171 C70600 (90:10), C71500 (70:30)
 Nickel : ASTM B162 N02200, N02201
 Monel : ASTM B127 N04400, DIN N05500
 Inconel : ASTM B 168 N06600, N06601, N06617
 ASTM B 670 N07718
 ASTM B 443 N06625
 Incoloy : ASTM B 409 N08800, N08810
 ASTM B 424 N08825
 ASTM B 462 N08020
 Hastelloy : ASTM B 575 N10276, N06022
 ASTM B 333 N10665



Round Bar, Hex, Square, Welding Filler Wire

Size :

Bright Bars : from 5mm Dia upto 350mm Dia

Black Bars : from 16mm Dia upto 350mm Dia

Square Bars : from 5mm Dia upto 250mm Dia

Hex Bars : from 5mm Dia upto 150mm Dia

Wires : 0.1mm Dia to 5mm Dia

Specification :

Condition : Rolled, Forged, Annealed, Picked,
Hot Rolled, Cold Roll

Welding Filler Wire :

Nickel Alloys : 201/200

Monel Alloy : 400/K-500

Inconel : 600, 601, 625, 825, 800 /800H /800HT

Hastalloy : C22, C276, B-2000

Titanium : Gr.1, 2, 5, 7, Tantalum SMO 254,
Alloy - 904L, Alloy 20, Alloy 330, etc.

Types : Elbow, Tee, Reducer, Cap, Return Bends,
Stub-Ends, Collar, Cross, Insert etc.

Size : 1/4" NB TO 4" NB.

Class : 3000#, 6000#, 9000#.

Grades :

Stainless Steel : 304/304, 316/316L/316Ti, 321, 310/310S,
317/317L, 347, 17-4Ph.15-5Ph, 904L, 410,
420, 430, 431, 430F, 416, 440C etc.

Copper, Brass, Aluminium, Hast Alloy,
Titanium, Monel, Inconel, Nickel, etc.

Duplex Steel : UNS 31803, UNS 32205, UNS 32750, UNS 32760

Alloy Steel : F5, F9, F11, F22, F91
Carbon Steel, Mild Steel, Boiler Quality Plates

Specification : ASTM, AISI, ASME, DIN, UNS etc.

Structural Steel

We Can Offer You Wide Variety Of Structural Steel For Your Regular Needs For Maintenance, Construction As Well As Development Of New Projects. With Tie Ups With Majority Of Manufactures We Can Offer Steel From Prime Manufacturers Like Sail/ Vizag / Jindal / Tisco As Well As From Secondary Rolling & Re Rolling Manufacturers. We Offer Following Product In Our Range Of Structural Steel:mild Steel Structural.


MS Angles

Grade:- IS 2062

Product Range:- The following are the sizes available.

25 x 25 x 3/5, 35 x 35 x 5, 40 x 40 x 5/6, 45 x 45 x 4/5/6,
50 x 50 x 5/6, 60 x 60 x 6/8, 65 x 65 x 6/8/10, 75 x 75 x 6/8/10, 80 x 80 x 6/8,
90 x 90 x 6/8/10,100 x 100 x 6/8/10/12, 110 x 110 x 8/10/12, 130 x 130 x
10/12, 150 x 150 x 10/12,150 x 150 x 16/20 200 x 200 x 16/20

All the above mentioned sizes are in mm.



MS Channel

Grade : - IS 2062

Product Range:- The following are the sizes available.

75 x 40, 100 x 50, 125 x 75, 150 x 75, 175 x 75, 200 x 75,
250 x 80, 300 x 90, 350 x 100, 400 x 100.

All the above mentioned sizes are in mm

MS Beam

Light, Medium, Standrad

Grade:- IS 2062

Product Range:- The following are the sizes available.

100 x 50, 125 x 70,150 x 75, 175 x 85, 200 x 100 , 250 x 125, 300 x 140, 350
x 140, 400 x 150, 450 x 150, 500 x 180, 600 x 210.

All the above mentioned sizes are in mm



MS Rounds Bars

Product Name:- Wire Rods

Grade:- Low Carbon - 5WR-14 / IS:2062 Gr.A

Product Range:- Diameters available (unit mm), 5mm to 250mm

All the above mentioned sizes are in mm

These are available in straight lengths (as mutually agreed).

TMT Bars

We have a wide range of TMT Re Bars which are available in various types & from Various Primary & Secondary Maufacturers.

Above Material can be offered in Grades Like FE 415 / FE 500 With Manufacturing Test certificate.



MS Flats

Available in size
21 x 6 mm to 300 x 16 mm



MS Square Bars

Available in size
10 x 10 mm to 63 x 63 mm

Pipes

Stainless Steel & Duplex Steel Pipe

Size	: ½" to 30"
Schedule	: Sch. 5 to Sch. XXS
Stainless Steel	: ASTM A312, A358 - TP 304/304H/304L/316/316H/ 316L/316Ti/309/310/317/317L/321/347/904L
Duplex Steel	: ASTM A790 - UNS S31803, S32750, S32760, S32205

Alloy Steel, Carbon Steel & LTCS Pipe

Size	: 1/2" to 36"
Schedule	: Sch. 5 to Sch. XXS
Alloy Steel Pipe	: ASTM A335 Gr. P5, P9, P11, P12, P22 & P91
Carbon Steel	: ASTM A 106 Gr. B ASTM A53
Low Temp. Pipe	: ASTM A 333 Gr. 6
Line Pipe	: API 5L, X 42, 46, 52, 56, 60, 70
Mild Steel & Galvanized Pipe	: IS 1239, IS 3589

Copper & Nickel Alloys pipe

Size	: ½" NB to 10" NB
Standard	: 10S/40S/80S
Copper Nickel	: C70600 (90:10), C71500 (70:30), C71640
Nickel	: UNS N02200, N02201
Monel	: UNS N04400, N05500, Alloy 20
Inconel	: UNS N06600, N06601, N06625, N08800, N08810, N08825
Hastelloy	: UNS N10276, N06022, N10665, N06455

Type :- Round | Square | Rectangle | Hydraulic



Tubes

Size	: 6 mm OD to 219.08 mm OD
Thickness	: 0.6mm-10mm-Gauge : 22 SWG/BWG to 10 SWG/BWG
Form	: Round, Square, Rectangle, Coil, 'U' Shap
Length	: Standard Length & Cut Length
Stainless Steel Tube	: ASTM A-213, A-249, A269-TP 304/304H/304L, 316/316H/316L/316Ti, TP 309, 310, 317L, 321, 347, 904 L etc.
Duplex Steel	: ASTM A790 - UNS S31803, S32750, S32760, S32205
Low Alloy Steel Tube	: ASTM A 213 - T-11, T-12, T-22, T-5, T-9 etc.
Carbon Steel Tube	: BS 3059 Gr. 360 / 440, SA 179, SA / ASTM A210 Gr. A1
Copper Nickel Tube	: ASTM B111, C70600 (90.10), C71500 (70:30), C71640
Admiralty Brass Tube	: ASTM B 111 C44300, C44400, C44500, C68700
Copper & Brass Tube	: ASTM B 188 C11000, C12200, C26000, C27000, C28000
Nickel Alloy Tube	: Nickel, Monel, Inconel, Alloy 20 etc.
Specialize	: Capillary Tube, IBR Tubes, Copper Nickel Tube



Valves

VALVES DETAILS

- Material : Stainless Steel / Duplex / Super Duplex / Nickel Alloy / Carbon Steel / Alloy Steel
- Standard : ASTM / ASME / ANSI / AISI / DIN
- Grade : WCB, WC1, WC6, WC9, LCB, LCC, LC3, C5, C12, CF8, CF8M, CF3, CF3M, CF8C, CN7M, CD4MCu, Hastelloy, Inconel, 304L, 316L, 2205, 2507 etc.
- Types : Gate Valve, Ball Valve, Globe Valve, Butterfly Valve, Check Valve, Cryogenic Valve
- Size : 1/2" to 60"
- Class : 150#, 300#, 600#, 800#, 900#, 1500# & 2500#.





Flanges

Alloy Steel, Carbon Steel & LTCS Pipe

Alloy Steel	: ASTM A 234 WPB WP5, WP9, WP11, WP12, WP91
Carbon Steel	: ASTM A 234 WPB, IS 1239 PART II
Low Temp. CS	: ASTM A-420 WPL6
Other Service	: Hot Dip Galvanizing, Sand Blasting

Cupro Nickel & Monel

Copper Nickel	: ASTM B171 C70600 (90:10), ASTM B171 C71500 (70:30)
Monel	: ASTM B127 N04400 DIN N05500

Size : 1/2"NB to 48"NB, ANSI B 16.5

Class : 150#, 300#, 600#, 900#, 1500#, 2500#,
in ASA 150 & ASA 300

Titanium

Commercially Pure	ASTM B 381 Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3) Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1) Gr.7 R 52400 Gr.11 R 52250
Alloys	ASTM B 381 Gr.5 R 56400 (6Al-4V) Gr.23 R 56401 (6Al-4V-ELI) Gr12 R 53400

Types

Weldneck	Screwed / Threaded
Socketweld	Long Weldneck
Slip on	Lapped Joint
Blind	Spectacle Blind

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & Super Duplex : ASTM A 182 - F51, F53, F55

Hi-Nickel & Titanium

Hi-Nickel

Nickel	: ASTM B 564 N02200, N02201
Inconel	: ASTM B 564 N06600, N06601, N06617 ASTM B 564 N07718 ASTM B 564 N06625
Incoloy	: ASTM B 564 N08800, N08810 ASTM B 564 N08825 ASTM B 564 N08020
Hastelloy	: ASTM B 564 N10276, N06022 ASTM B 564 N10665 ASTM B 564 N06455

SPECIALIZE

CAPILLARY TUBE, IBR TUBES, COPPER NICKEL TUBE



Buttweld Fittings

Alloy Steel & Carbon Steel

Alloy Steel	: ASTM A 234 WPB WP5, WP9, WP11, WP12, WP91
Carbon Steel	: ASTM A 234 WPB, IS 1239 PART II
Low Temp. CS	: ASTM A-420 WPL6
Other Service	: Hot Dip Galvanizing, Sand Blasting

Cupro Nickel

ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Monel

ASTM B 366 N04400
DIN N05500

Size

<u>Pipes</u>	: ½" to 30"
<u>Schedule</u>	: Sch. 5 to Sch. XXS

Types

Stubend - (Long & Short)	Elbow (45 DEG, 90 DEG, 180 DEG)
U Bend	Tee - (Barred, Equal, Reducing)
End Cap	Reducer - (Concentric & Eccentric)
Laterals	Nipple - (Swage & Barrel)

Specializing in:

Hi-Nickel & Stainless Steel Series

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 403 WP - 304/304H/304L/316/316H
316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & Super Duplex : Standard
ASTM A815 - UNS S31803, S32205 (2205)
Lean
ASTM A815, 790 - UNS S32304 (2304)
Super Duplex
ASTM A815, 790 - UNS S32750 (2507)
UNS S32760 (Zeron 100)

Hi-Nickel & Titanium

Hi-Nickel

Cupro Nickel : ASTM B 171 C70600 (90:10),
ASTM B 171 C71500 (70:30)

Nickel : ASTM B 366 N02200, N02201

Monel : ASTM B 366 N04400, DIN N05500

Inconel : ASTM B 366 N06600, N06601, N06617
ASTM B 366 N07718
ASTM B 366 N06625

Incoloy : ASTM B 366 N08800, N08810
ASTM B 366 N08825
ASTM B 366 N08020

Hastelloy : ASTM B 366 N10276, N06022
ASTM B 366 N10665
ASTM B 366 N06455

Titanium

Commercially : ASTM B 363

Pure : Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
Gr.7 R 52400 Gr.11 R 52250

Alloys : ASTM B 363
Gr.5 R 56400 (6Al-4V)
Gr.23 R 56401 (6Al-4V-ELI)
Gr.12 R 53400



Forged Fittings

Titanium

Commercially : ASTM B 381
Titanium Pure Gr.1 R 56250 (CP4) Gr.2 R 50400 (CP3)
 Gr.3 R 50550 (CP2) Gr.4 R 50700 (CP1)
 Gr.7 R 52400 Gr.11 R 52250

Titanium Alloys : ASTM B 381
 Gr.5 R 56400 (6Al-4V)
 Gr.23 R 56401 (6Al-4V-ELI)
 Gr.12 R 53400

Cupro Nickel

ASTM B 171 C70600 (90:10),
 ASTM B 171 C71500 (70:30)

Monel

ASTM B 564 N04400
 DIN N05500

Alloy Steel & Carbon Steel

Alloy Steel : ASTM A 234 WPB WP5, WP9, WP11,
 WP12, WP91

Carbon Steel : ASTM A 234 WPB, IS 1239 PART II

Low Temp. CS : ASTM A-420 WPL6

Other Service : Hot Dip Galvanizing, Sand Blasting

Specializing in: Hi-Nickel & Stainless Steel Series

Types

Elbow (45 & 90 Deg)	Coupling
Tee	Cap
Union	Plug
Cross	Bushing
Swage Nipple	Boss

Size

Size : 15NB To 100NB (Socket Weld & Threaded)

Class : 3000#, 6000#, 9000#, In ANSI B 16.11

Stainless Steel & Duplex Steel

Stainless Steel : ASTM A 182F - 304/304H/304L/316/316H
 316/316Ti, 309, 310, 317L, 321, 347, 904L

Duplex & : ASTM A 182 - F51, F53, F55

Super Duplex

Hi-Nickel & Titanium

Hi-Nickel

Nickel : ASTM B 564 N02200, N02201

Inconel : ASTM B 564 N06600, N06601, N06617
 ASTM B 564 N07718
 ASTM B 564 N06625

Incoloy : ASTM B 564 N08800, N08810
 ASTM B 564 N08825
 ASTM B 564 N08020

Hastelloy : ASTM B 564 N10276, N06022
 ASTM B 564 N10665
 ASTM B 564 N06455

Inconel®, Incoloy®, Monel®, Hastelloy®, Duplex®
 are Registered Trade Marks of their Respective Owners.



Fasteners

- Material : Stainless Steel / Duplex / Super Duplex / Nickel Alloy / Carbon Steel / Alloy Steel
- Standard : ASTM / ASME / ANSI / AISI / DIN
- Grade : 202, 304L, 316L, 317L, 321, 347, 310, 410, 420, 904L, 2205, 2507, Monel, Inconel, Hastelloy, Titanium etc.
- Types : Bolts, Nuts, Washers, Anchor Fasteners, Stud Bolts, Eye Bolt, Stud, Threaded Rod, Cotter Pin, Socket Screw, Fine Fasteners & Spares etc.
- Size : M2 to M100





MAHAVEER OVERSEAS

Mahaveer Overseas

- Stainless Steel
- Duplex / Super Duplex
- Carbon Steel
- Mild Steel
- Alloy Steel
- Nickel Alloy
- Copper Base Alloy
- Structural Steel
- Pipes / Tubes
- Fittings
- Fasteners
- Flanges
- Coils / Plates / Sheets
- Rods / Bars
- Hollow Sections
- Profiles

☎ +91 7304 253 648
+91 7304 253 667

✉ sales.mahaveeroverseas@gmail.com

📍 17/19, 3rd Floor, Plot No17,
Kanti Bhuvan,
1st Parsiwada Lane,
V.P. Road, Mumbai - 400 004.